



extend



GEOTEHNIKA, OPREMA I MEHANIZACIJA
+385 (0) 51 341 393 ; +385 (0)98 258 938
S.Vajnera Čiče 7 , 51000 Rijeka, Hrvatska
OIB 60138593750 MB 0966622
info@extend.hr www.extend.hr

GABIONI OD POCINČANE ŽICE Ø2,7- 3,0 mm OTVOR OKA 8X10cm

Gabionski žičane kutije od dvostruko uvijene heksagonalne mreže 8x10 cm u skladu s EN 10223-3, tkana sa žičanim pletivom koji, odgovara EN 10223-3 za mehanička svojstva i UNI-EN 10218 za tolerancija promjera, imaju čvrstoću loma između 350 i 500 N/mm² i minimalno istezanje od 10%, promjer žičanog pletiva 2,7 mm u skladu s EN 10244, klasa "A" s količinom ne manjom od 255 g/m².

GABIONI 1X1X0,5 8X10; Ø2,7mm BEZ DIAFRAGME	8,0 kg/kom
GABIONI 1,5X1X0,5 8X10; Ø 2,7mm BEZ DIAFRAGME	9,5 kg/kom
GABIONI 2X1X0,5 8X10; Ø2,7mm SA DIAFRAGMOM	12,0 kg/kom
GABIONI 3X1X0,5 8X10; Ø2,7mm SA DIAFRAGMOM	17,0 kg/kom
GABIONI 4X1X0,5 8X10; Ø2,7mm SA DIAFRAGMOM	21,8 kg/kom

GABIONI 1X1X1 8X10; Ø2,7mm BEZ DIAFRAGME	10,0 kg/kom
GABIONI 1,5X1X1 8X10; Ø 2,7mm BEZ DIAFRAGME	12,8 kg/kom
GABIONI 2X1X1 8X10; Ø2,7mm SA DIAFRAGMOM	17,0 kg/kom
GABIONI 3X1X1 8X10; Ø2,7mm SA DIAFRAGMOM	23,9 kg/kom
GABIONI 4X1X1 8X10; Ø2,7mm SA DIAFRAGMOM	30,7 kg/kom





extend


GEOTEHNIKA, OPREMA I MEHANIZACIJA
+385 (0) 51 341 393 ; +385 (0)98 258 938
S.Vajnera Čiče 7 , 51000 Rijeka, Hrvatska
OIB 60138593750 MB 0966622
info@extend.hr www.extend.hr

GABIONI OD POCINČANE ŽICE Ø2,7mm SA PVC OBLOGOM (Ø3,7mm) OTVOR OKA 8X10 cm

Gabionski žičane kutije od dvostruko uvijene heksagonalne mreže 8x10 cm u skladu s EN 10223-3, tkana sa žičanim pletivom koji, odgovara EN 10223-3 za mehanička svojstva i UNI-EN 10218 za tolerancija promjera, imaju čvrstoću loma između 350 i 500 N/mm² i minimalno istezanje od 10%, promjer žičanog pletiva Ø2,7 mm sa PVC oblogom ukupnog promjera Ø3,7 mm. Žica je pocinčana u skladu s EN 10244, klasa "A" s količinom ne manjom od 255 g/m².

GABIONI 1,5X1X0,5* 8X10, PVC Ø 2,7/Ø 3,7 mm *BEZ DIAFRAGME	10,70 kg/kom
GABIONI 2X1X0,5 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	14,20 kg/kom
GABIONI 3X1X0,5 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	20,00 kg/kom
GABIONI 4X1X0,5 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	25,60 kg/kom


GABIONI 1,5X1X1* 8X10, PVC Ø 2,7/Ø 3,7 mm *BEZ DIAFRAGME	14,80 kg/kom
GABIONI 2X1X1 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	20,00 kg/kom
GABIONI 3X1X1 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	27,50 kg/kom
GABIONI 4X1X1 8X10, PVC Ø 2,7/Ø 3,7mm SA DIAFRAGMOM	36,00 kg/kom



GABIONI SA ZATEGOM TERAMESH SYSTEM

OD POCINČANE ŽICE Ø2,7mm SA PVC OBLOGOM (Ø3,7mm) OTVOR OKA 8X10 cm

A = Delića prička z dvožákrtovej šest'uholnikovej siete
B = Hlavný Terramesh® Systém blok z dvožákrtovej šest'uholnikovej siete



PRIMJER : 3X2X1 = GABION W=2 X H=1 SA ZATEGOM (REPOM) OD L=3 MT,
 A=DIAFRAGMA, B= MREŽA OTVOR OKA 8X10 CM, ŽICA Ø2,7/PVC Ø3,7 mm

GABION SA ZATEGOM 3X2X1 8X10, PVC Ø2,7/Ø3,7 mm SA DIAFRAGMOM	26,8 kg/kom
GABION SA ZATEGOM 4X2X1 8X10,PVC Ø2,7/Ø3,7mm SA DIAFRAGMOM	30,0 kg/kom
GABION SA ZATEGOM 5X2X1 8X10, PVC Ø2,7/Ø3,7mm SA DIAFRAGMOM	33,0 kg/kom
GABION SA ZATEGOM 6X2X1 8X10,PVC Ø 2,7/Ø3,7mm SA DIAFRAGMOM	36,2 kg/kom
GABION SA ZATEGOM 3X2X0,5 8X10, PVC Ø2,7/Ø3,7 mm SA DIAFRAGMOM	21,7 kg/kom
GABION SA ZATEGOM 4X2X0,5 8X10,PVC Ø2,7/Ø3,7mm SA DIAFRAGMOM	24,4 kg/kom
GABION SA ZATEGOM 5X2X0,5 8X10, PVC Ø2,7/Ø3,7mm SA DIAFRAGMOM	27,8 kg/kom
GABION SA ZATEGOM 6X2X0,5 8X10,PVC Ø2,7/Ø3,7mm SA DIAFRAGMOM	30,9 kg/kom



extend

GEOTEHNIKA, OPREMA I MEHANIZACIJA

+385 (0) 51 341 393 ; +385 (0)98 258 938

S.Vajnera Čiče 7 , 51000 Rijeka, Hrvatska

OIB 60138593750 MB 0966622

info@extend.hr

www.extend.hr

GABIONI SA ZATEGAMA OD ZAVARENE POCINČANE MREŽE



GABIONI UČVRŠĆENI ZA POKOS SISTEMOM SIDARA

“EXTEND” d.o.o. – Rijeka, tel./fax. +385 (0)51 341 393 ; +385 51 (0)98 258 938 e-mail: info@extend.hr

M.B. 0966622 Oib/Eori **HR60138593750** ; IBAN ESB **HR3724020061100377547** ; SWIFT: ESBCHR22

Temeljni kapital: 167.000,00 Kuna uplacen u cijelosti ; Osnivač/Član uprave : Ing.Maksimilian Merle



extend

GEOTEHNIKA, OPREMA I MEHANIZACIJA
+385 (0) 51 341 393 ; +385 (0)98 258 938
S.Vajnera Čiče 7 , 51000 Rijeka, Hrvatska
OIB 60138593750 MB 0966622
info@extend.hr www.extend.hr

KLJEŠTA ZA SPAJANJE MREŽE



KARAKTERISTIKE

Vrsta: Manualna kliješta za prstenovanje

Težina: 1,0 kg

Dimenzije (mm)

Kapacitet šanžera: 40 kom.

PNEUMATSKA KLJEŠTA ZA SPAJANJE MREŽE

KARAKTERISTIKE

Vrsta: Pneumatska kliješta za prstenovanje

Težina: 6,3 kg

Dimenzije (mm) 500 × 330 × 210

Max.pritisak: 7 atm

Potrošnja zraka: 4,7 dm³/s

Kapacitet šanžera: 120 kom.



"C" PRSTENOVI ZA SPAJANJE



Tip spojnice : AC50ZA / AC50ZAHT / AC50SS

Design: model "C"

Dimenzije: 45.5 x 23.7 mm

Dijametar zatvaranja: 12.3 / 12.8 mm

Dijametar žice: 3 mm

Količina u patroni: 40 kom.

Količina u pakovanju: 1 600 kom.